



Feeding Your Baby: Sample Meals for Babies 6 to 12 Months of Age

This resource provides examples of meals for babies who are 6 to 12 months old. Your baby may eat more or less than the amounts shown. Let your baby decide how much to eat, and never force your baby to eat.

Babies know when they are hungry and when they are full. Look for signs of hunger and fullness.

- A baby who is hungry may open her mouth for food and may get upset if you take the food away.
- A baby who is full may close her mouth, turn her head away, or push food away.

Sometimes people worry that their baby is not getting enough to eat. If you are offering breast milk, a variety of solid foods, and your baby is growing well, she is likely eating enough. Talk with a registered dietitian if you have questions about your baby's nutrition.



Steps you can take

Babies do not need solid foods until they are about 6 months old. Before 6 months, your baby only needs breast milk and a vitamin D supplement.

For babies 6 months of age or older:

- Keep offering breast milk and a vitamin D supplement.
- Start with small servings such as 5-10 mL (1-2 tsp) and slowly increase the amounts based on your baby's hunger. At first, she may only eat 30-45 mL (2-3 Tbsp) of food all day.
- Examples of portions to offer your baby are:
 - 30-45 mL (2-3 tbsp) cooked vegetables, grains, meats or meat alternatives
 - 45-75 mL (3 -5 tbsp) soft fruit
 - ½ medium egg

^{© 2014} Province of British Columbia. All rights reserved. May be reproduced in its entirety provided source is acknowledged.





- 60-125 mL (¼ ½ cup) prepared hot or cold cereal
- 30 mL (2 tbsp) shredded cheese or yogurt
- ½ of a piece of toast cut into strips
- Let your baby decide how much to eat of the food you offer.

Sample Meals for Baby: 6 to 9 months of age

By the time your baby is 9 months old, offer 2 to 3 meals and 1 to 2 snacks a day. As well as breast milk, offer:

Mealtimes	Sample Meals
Breakfast	 iron fortified infant cereal strawberries, mashed or cut-up water in a cup
Lunch	 chicken, minced or chickpeas, mashed cooked sweet potato, mashed water in a cup
Snack	• pear, mashed
Dinner	 ground beef or lentils brown rice cooked broccoli, mashed water in a cup

^{© 2014} Province of British Columbia. All rights reserved. May be reproduced in its entirety provided source is acknowledged.





Sample Meals for Baby: 9 to 12 months of age

By the time your baby is 12 months old, offer 3 meals and 1 to 2 snacks a day. As well as breast milk, offer:

Mealtimes	Sample Meals
Breakfast	iron fortified infant cerealkiwi, choppedwater in a cup
Snack	 whole wheat toast with thinly spread peanut butter, cut into strips
Lunch	 canned salmon, mashed cooked carrot, chopped avocado, chopped yogurt water in a cup
Snack	whole grain crackers
Dinner	 chicken, chopped brown rice cooked green beans, chopped cantaloupe, chopped water in a cup

This information is not meant to replace advice from your medical doctor or individual counseling with a registered dietitian. It is intended for educational and informational purposes only.

^{© 2014} Province of British Columbia. All rights reserved. May be reproduced in its entirety provided source is acknowledged.








For information and advice based on your specific food and nutrition needs and preferences, call **8-1-1** and ask to speak to a HealthLink BC dietitian.

For additional information, see the following:

• HealthLink BC <u>www.healthlinkbc.ca</u> – Get medically approved nonemergency health information.

These resources are provided as sources of additional information believed to be reliable and accurate at the time of publication and should not be considered an endorsement of any information, service, product or company.



Distributed by:

Dietitian Services at HealthLinkBC (formerly Dial-A-Dietitian), providing free nutrition information and resources for BC residents and health professionals. Go to www.healthlinkbc.ca or call **8-1-1** (anywhere in BC). Interpreters are available in over 130 languages.

© 2014 Province of British Columbia. All rights reserved. May be reproduced in its entirety provided source is acknowledged.

This information is not meant to replace advice from your medical doctor or individual counseling with a registered dietitian. It is intended for educational and informational purposes only.