

Immunization Schedule for B.C. Infants and Children

| Vaccine | 2 Months | 4 Months | 6 Months | 12 Months | 18 Months | Starting at 4 Years of Age (Kindergarten Entry) |
|--|-------------------------------------|-------------------------------------|--|-------------------------------------|-------------------------------------|---|
| Chickenpox (Varicella) Vaccine (#44b) ¹ | | | | <input checked="" type="checkbox"/> | | |
| Diphtheria, Tetanus, Pertussis, Hepatitis B, Polio, and Haemophilus influenzae type b (DTaP-HB-IPV-Hib) Vaccine (#105) | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | |
| Diphtheria, Tetanus, Pertussis, Polio, Haemophilus influenzae Type b (DTaP-IPV-Hib) Vaccine (#15b) | | | | | <input checked="" type="checkbox"/> | |
| Hepatitis A Vaccine (#33) ² <small>Aboriginal children only</small> | | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | |
| Inactivated Influenza (Flu) Vaccine (#12d) ³ Live Attenuated Influenza (Flu) Vaccine (#12e) ³ | | | <input checked="" type="checkbox"/> Children 6 months to 4 years of age | | | |
| Measles, Mumps, Rubella (MMR) Vaccine (#14a) | | | | <input checked="" type="checkbox"/> | | |
| Measles, Mumps, Rubella and Varicella (MMRV) Vaccine (#14e) ¹ | | | | | | <input checked="" type="checkbox"/> |
| Meningococcal C Conjugate (Men-C) Vaccine (#23a) | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | | |
| Pneumococcal Conjugate (PCV 13) Vaccine (#62a) | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | |
| Rotavirus Vaccine (#104) | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | |
| Tetanus, Diphtheria, Pertussis, Polio (Tdap-IPV) Vaccine (#15a) | | | | | | <input checked="" type="checkbox"/> |

Note: The vaccine schedule can change. Speak with your health care provider, or call **8-1-1** if you have questions. Immunization table developed and reviewed by HealthLinkBC, BC Ministry of Health, and BC Centre for Disease Control.

¹ Children who have had chickenpox or shingles disease, diagnosed by a health care provider, at 1 year of age or older do not need the chickenpox vaccine, and should get the MMR vaccine at 4 years of age.

² The hepatitis A vaccine is provided free as 2 doses to Aboriginal children living both on-reserve and off-reserve. Infants will receive the first dose at 6 months of age and the second dose at 18 months of age. Older

children and adolescents who have not been immunized also need 2 doses of the vaccine. The second dose needs to be given at least 6 months after the first dose.

³ Annual influenza immunization is recommended and provided free to children 6 months to 4 years of age. For children receiving the vaccine for the first time, a second dose is recommended 4 weeks after the first dose. The live attenuated influenza vaccine is not approved for use in children under 2 years of age.